



Yamaha YZFR3  
 Fender Eliminator Kit  
 P/N: 670-6120  
 MADE IN THE USA!

Kit Contents

Part Number	Description	Quantity	Part Number	Description	Quantity
99-FE-670-6120	Fender Brackets	2	99-HB-6x12	6x12 Bolt	2
99-LN-6	6mm Locknut	6	99-HB-6x16	6x16 Bolt	2
99-Wash6x15	6x15mm	2	99-HB-6x20	6x20 Bolt	2
99-Wash6x12	6x12mm Washer	10			

Note: To complete your installation we recommend using DMP Marker Lights, which are available from your local DMP dealer or [www.moto911.com](http://www.moto911.com). Make sure bike is turned off during installation. It is highly recommended that the DMP fender Eliminator and marker lights are installed by a certified technician. DMP is not responsible for any part of your motorcycle for any reason. If in any doubt please call us during installation.

1. Remove the passenger seat and tool pouch.
2. Remove the tool tray by removing the two screw rivets.



3. Expose the turn signal wires by removing the wire harness shown below.




4. Remove the cowling behind the riders seat.



5. Remove the rider seat.



6. Use masking tape to identify the left and right hand turn signal wires. Unplug the turn signal and plate light wires.



7. Remove the stock fender.



8. Mount the DMP base plate using two 6x1.0x16 bolts, four 6x12 (smaller) washers and two 6x1.0 lock nuts.



9. Mount the DMP license plate bracket using two 6x1.0x20 bolts, four 6x12 (smaller) washers and two 6x1.0 lock nuts.



Note: We recommend using DMP Marker Lights and DMP OEM Type Wire Harness, which are available from your local DMP dealer or [www.moto911.com](http://www.moto911.com)

10. To complete install, repeat steps 6-1 in reverse.

670-6120



675-6120

