



P/N: 670-4155
Fender Eliminator Kit SLR
MADE IN THE USA!

Kit Contents


Part Number	Description	Quantity	99-Wash8x17	8x17mm Washer	8
99-FE-670-4155-LP	Fender Bracket License Plate	1	99-Wash6x15	6x15mm Washer	2
99-FE-670-4155-L	Base Plate Bracket Left	1	99-HB-6x16	6x16 Bolt	2
99-FE-670-4155-R	Base Plate Bracket Right	1	BH 99-HB-8x20	8x20 BH Bolt	4
99-Wash6x12	6x12mm	6	8-LN-8	8x1.25 Lock Nut	4
99-HB-6x12	6x12 BH Bolt	6	6-LN-6	6x1 Lock Nut	4

Note: Make sure bike is turned off during installation. It is highly recommended that the DMP fender Eliminator and marker lights are installed by a certified technician. DMP is not responsible for any part of your motorcycle for any reason. If in any doubt please call us during installation.

1. Remove rider and passenger seat.
2. Locate and remove OEM rear fender button head 8mm bolts. Carefully lower OEM rear fender.



3. Disconnect OEM turn signals and plate light.




4. Disassemble OEM rear fender to reuse components needed for your DMP fender kit SLR.



5. Install existing OEM components removed from stock fender to the new DMP fender kit SLR.



6. Mount DMP license plate holder using 6 X 16 button heads, 6 X 12 washers and 6 X 1 Locknuts.



7. Using 8mm hardware 8 X 20 button head bolts, 8mm washers and 8mm locknuts mount the DMP fender kit SLR. Feed wire loom through fender kit reconnect all OEM plugs and test function.



670-4155

